



MATERIAL	Brass   Glass	Fixing Bracket	MLBW17
HEIGHT	40cm   15.75"		
WIDTH   DIAMETER	20cm   7.87"		
LENGTH   PROJECTION	30cm   11.81"		
WEIGHT	1.3KG   2.87lbs		
LAMPHOLDER	E27 x 1		
MAX WATTAGE	40W x 1		
VOLTAGE	220/240v		
IP RATING	44		
CLASS PROTECTION	II		
SHADE	GL155		
FLEX   BAR   CHAIN LENGT	n/a		
CABLE TYPE	MLCA028   2 Core Round   Black Braid   PVC		

**Product Notes:**

1) Lamps not included with light fixture. 2) All products are individually hand crafted, therefore may differ slightly within manufacturing tolerances. 3) Please refer to: <http://www.mullanlighting.com/terms> for full list of Terms & Conditions. 4) Cable/Chain can be shortened during installation. 5) Longer Cable/Chain available on request. 6) Additional colour finishes available on request. 7.) Dimensions do not include lamps. 8.) Products wired to UL standards will operate at 110/120v with the appropriate lampholders.



MATERIAL	Brass   Glass	Fixing Bracket	MLBW17
HEIGHT	40cm   15.75"		
WIDTH   DIAMETER	20cm   7.87"		
LENGTH   PROJECTION	30cm   11.81"		
WEIGHT	1.3KG   2.87lbs		
LAMPHOLDER	E27 x 1		
MAX WATTAGE	40W x 1		
VOLTAGE	220/240v		
IP RATING	44		
CLASS PROTECTION	II		
SHADE	GL155		
FLEX   BAR   CHAIN LENGT	n/a		
CABLE TYPE	MLCA028   2 Core Round   Black Braid   PVC		

**Product Notes:**

1) Lamps not included with light fixture. 2) All products are individually hand crafted, therefore may differ slightly within manufacturing tolerances. 3) Please refer to: <http://www.mullanlighting.com/terms> for full list of Terms & Conditions. 4) Cable/Chain can be shortened during installation. 5) Longer Cable/Chain available on request. 6) Additional colour finishes available on request. 7.) Dimensions do not include lamps. 8.) Products wired to UL standards will operate at 110/120v with the appropriate lampholders.



MATERIAL	Brass   Glass	Fixing Bracket	MLBW17
HEIGHT	40cm   15.75"		
WIDTH   DIAMETER	20cm   7.87"		
LENGTH   PROJECTION	30cm   11.81"		
WEIGHT	1.3KG   2.87lbs		
LAMPHOLDER	E27 x 1		
MAX WATTAGE	40W x 1		
VOLTAGE	220/240v		
IP RATING	44		
CLASS PROTECTION	II		
SHADE	GL155		
FLEX   BAR   CHAIN LENGT	n/a		
CABLE TYPE	MLCA028   2 Core Round   Black Braid   PVC		

**Product Notes:**

1) Lamps not included with light fixture. 2) All products are individually hand crafted, therefore may differ slightly within manufacturing tolerances. 3) Please refer to: <http://www.mullanlighting.com/terms> for full list of Terms & Conditions. 4) Cable/Chain can be shortened during installation. 5) Longer Cable/Chain available on request. 6) Additional colour finishes available on request. 7.) Dimensions do not include lamps. 8.) Products wired to UL standards will operate at 110/120v with the appropriate lampholders.



POWDER-COATED  
MATTE BLACK

MATERIAL	Brass   Glass	Fixing Bracket	MLBW17
HEIGHT	40cm   15.75"		
WIDTH   DIAMETER	20cm   7.87"		
LENGTH   PROJECTION	30cm   11.81"		
WEIGHT	1.3KG   2.87lbs		
LAMPHOLDER	E27 x 1		
MAX WATTAGE	40W x 1		
VOLTAGE	220/240v		
IP RATING	44		
CLASS PROTECTION	II		
SHADE	GL155		
FLEX   BAR   CHAIN LENGT	n/a		
CABLE TYPE	MLCA028   2 Core Round   Black Braid   PVC		

**Product Notes:**

1) Lamps not included with light fixture. 2) All products are individually hand crafted, therefore may differ slightly within manufacturing tolerances. 3) Please refer to: <http://www.mullanlighting.com/terms> for full list of Terms & Conditions. 4) Cable/Chain can be shortened during installation. 5) Longer Cable/Chain available on request. 6) Additional colour finishes available on request. 7.) Dimensions do not include lamps. 8.) Products wired to UL standards will operate at 110/120v with the appropriate lampholders.



MATERIAL	Brass   Glass	Fixing Bracket	MLBW17
HEIGHT	40cm   15.75"		
WIDTH   DIAMETER	20cm   7.87"		
LENGTH   PROJECTION	30cm   11.81"		
WEIGHT	1.3KG   2.87lbs		
LAMPHOLDER	E27 x 1		
MAX WATTAGE	40W x 1		
VOLTAGE	220/240v		
IP RATING	44		
CLASS PROTECTION	II		
SHADE	GL155		
FLEX   BAR   CHAIN LENGT	n/a		
CABLE TYPE	MLCA028   2 Core Round   Black Braid   PVC		



**Product Notes:**

1) Lamps not included with light fixture. 2) All products are individually hand crafted, therefore may differ slightly within manufacturing tolerances. 3) Please refer to: <http://www.mullanlighting.com/terms> for full list of Terms & Conditions. 4) Cable/Chain can be shortened during installation. 5) Longer Cable/Chain available on request. 6) Additional colour finishes available on request. 7.) Dimensions do not include lamps. 8.) Products wired to UL standards will operate at 110/120v with the appropriate lampholders.





MATERIAL	Brass   Glass	Fixing Bracket	MLBW17
HEIGHT	40cm   15.75"		
WIDTH   DIAMETER	20cm   7.87"		
LENGTH   PROJECTION	30cm   11.81"		
WEIGHT	1.3KG   2.87lbs		
LAMPHOLDER	E27 x 1		
MAX WATTAGE	40W x 1		
VOLTAGE	220/240v		
IP RATING	44		
CLASS PROTECTION	II		
SHADE	GL155		
FLEX   BAR   CHAIN LENGT	n/a		
CABLE TYPE	MLCA028   2 Core Round   Black Braid   PVC		

**Product Notes:**

1) Lamps not included with light fixture. 2) All products are individually hand crafted, therefore may differ slightly within manufacturing tolerances. 3) Please refer to: <http://www.mullanlighting.com/terms> for full list of Terms & Conditions. 4) Cable/Chain can be shortened during installation. 5) Longer Cable/Chain available on request. 6) Additional colour finishes available on request. 7.) Dimensions do not include lamps. 8.) Products wired to UL standards will operate at 110/120v with the appropriate lampholders.



MATERIAL	Brass   Glass	Fixing Bracket	MLBW17
HEIGHT	40cm   15.75"		
WIDTH   DIAMETER	20cm   7.87"		
LENGTH   PROJECTION	30cm   11.81"		
WEIGHT	1.3KG   2.87lbs		
LAMPHOLDER	E27 x 1		
MAX WATTAGE	40W x 1		
VOLTAGE	220/240v		
IP RATING	44		
CLASS PROTECTION	II		
SHADE	GL155		
FLEX   BAR   CHAIN LENGT	n/a		
CABLE TYPE	MLCA028   2 Core Round   Black Braid   PVC		

**Product Notes:**

1) Lamps not included with light fixture. 2) All products are individually hand crafted, therefore may differ slightly within manufacturing tolerances. 3) Please refer to: <http://www.mullanlighting.com/terms> for full list of Terms & Conditions. 4) Cable/Chain can be shortened during installation. 5) Longer Cable/Chain available on request. 6) Additional colour finishes available on request. 7.) Dimensions do not include lamps. 8.) Products wired to UL standards will operate at 110/120v with the appropriate lampholders.