



MATERIAL	Brass Glass	FIXING BRACKET	n/a
HEIGHT	n/a		
WIDTH DIAMETER	14cm 5.51"		
LENGTH PROJECTION	5cm 1.97"		
WEIGHT	0.899kg 1.98lb		
LAMPHOLDER	G9		
MAX WATTAGE	6.5W		
VOLTAGE	220/240v		
IP RATING	IP64		
CLASS PROTECTION	1		
SHADE	n/a		
FLEX BAR CHAIN LENGT	n/a		
CABLE TYPE			



Product Notes:

1) Lamps not included with light fixture. 2) All products are individually hand crafted, therefore may differ slightly within manufacturing tolerances. 3) Please refer to: <http://www.mullanlighting.com/terms> for full list of Terms & Conditions. 4) Cable/Chain can be shortened during installation. 5) Longer Cable/Chain available on request. 6) Additional colour finishes available on request. 7.) Dimensions do not include lamps. 8.) Products wired to UL standards will operate at 110/120v with the appropriate lampholders.





MATERIAL	Brass Glass	FIXING BRACKET	n/a
HEIGHT	n/a		
WIDTH DIAMETER	14cm 5.51"		
LENGTH PROJECTION	5cm 1.97"		
WEIGHT	0.899kg 1.98lb		
LAMPHOLDER	G9		
MAX WATTAGE	6.5W		
VOLTAGE	220/240v		
IP RATING	IP64		
CLASS PROTECTION	1		
SHADE	n/a		
FLEX BAR CHAIN LENGT	n/a		
CABLE TYPE			



Product Notes:

1) Lamps not included with light fixture. 2) All products are individually hand crafted, therefore may differ slightly within manufacturing tolerances. 3) Please refer to: <http://www.mullanlighting.com/terms> for full list of Terms & Conditions. 4) Cable/Chain can be shortened during installation. 5) Longer Cable/Chain available on request. 6) Additional colour finishes available on request. 7.) Dimensions do not include lamps. 8.) Products wired to UL standards will operate at 110/120v with the appropriate lampholders.





MATERIAL	Brass Glass	FIXING BRACKET	n/a
HEIGHT	14cm 5.51"		
WIDTH DIAMETER	14cm 5.51"		
LENGTH PROJECTION	5.5cm 2.17"		
WEIGHT	0.9kg 1.98lb		
LAMPHOLDER	G9		
MAX WATTAGE	6.5W		
VOLTAGE	220/240v		
IP RATING	IP54		
CLASS PROTECTION	1		
SHADE	n/a		
FLEX BAR CHAIN LENGT	n/a		
CABLE TYPE	n/a		



Product Notes:

1) Lamps not included with light fixture. 2) All products are individually hand crafted, therefore may differ slightly within manufacturing tolerances. 3) Please refer to: <http://www.mullanlighting.com/terms> for full list of Terms & Conditions. 4) Cable/Chain can be shortened during installation. 5) Longer Cable/Chain available on request. 6) Additional colour finishes available on request. 7.) Dimensions do not include lamps. 8.) Products wired to UL standards will operate at 110/120v with the appropriate lampholders.

